

Choose new unique our cabins design or lets create a new one together!



Contents

About us	1 - 5
Shed/storage cabins	6 - 2 7
Gable roof Shed roof Flat roof Hip roof	8 - 1 7 1 8 - 2 0 2 1 - 2 3 2 4 - 2 5
Garden cabins	28-63
Gable roof Flat roof	3 0 - 5 7 5 8 - 6 1
Home office/studio	64-71
Summer house/chalet	72-91
20-40 m ² 40-60 m ² 60+ m ²	74-77 78-87 88-90
Villa/country house	92-113
1 story 2 story	94-103 104-111
Garages&carports	114-123
Garage Carport	1 1 6 - 1 1 9 1 2 0 - 1 2 2
Pergolas	124-131
New concept	132-135
Optional products	136-141
Windows&doors	142-159

About

We produce and exports standard and individual design wooden houses for customers in 20 countries. 15 years of active operation gives us confidence and experience to offer high quality products and services to our customers.

All our houses are made of kiln dried pine and spruce. Production process involves several stages of wood processing and preparation for final inspection and packing. Houses we produce are completely finished in factory and requires no extra processing.



We take responsibility for protecting human life and the environment across our operations. Our company works according to highest quality and safety standards and is committed to responsible and sustainable corporate governance.

- Our main business standards are:
- Business with Integrity
- High quality and Safe product
- Corporate Diligence
- Health and Occupational Safety
- Human Rights and Social Standards
- Environmental Protection
- Data Protection and Intellectual Property

In our production we use modern technologies and mechanisms to make sure that materials, resources and human labour are handled in the best possible way. We invest our time and resources to achieve higher efficiency and avoid errors in production.



Joy of spending time outside

Spending time in green space or bringing nature into your everyday life can benefit both your mental and physical wellbeing. For example, doing things like growing food or flowers, exercising outdoors have lots of positive effects - improve your mood, make you feel more relaxed. Some feel better just by going outside to the garden, and some of us need to go away to the countryside to change our everyday surroundings. There's something about the quiet calm of nature that is contagious, leaving a quiet calm in our mind.

Cabin in your garden or summerhouse in countryside is a great option for many of us. It becomes a place we cherish, look after and embellish. It also become extension of our home where we can cultivate our hobbies, exercise or free our creative energy.

We join you on dreams of making your relaxing space more pleasant, more lively, more comfortable and stylish. We offer a possibility to make your dreams come true, to build wooden structures which will make your garden peaceful getaway to hide from modern life rush.

Wooden garden houses and summer houses offer enjoyable advantages in terms of comfort, climate as well as health or environment. Flexible, resistant, light and durable, wood is suitable for most of the grounds and constructions. Wood prevents dust circulation and static electricity, so wooden interior is easy to maintain. The humidity level is naturally low. A wooden house will make benefit from a healthy, comfortable and balanced interior.

We are always happy to see customers appreciating wooden structures and valuing it's benefits.

From small cabins for those who just want to bring order to their garden, to garden houses for you as relaxing, working, meditating and crafting space, or big summer houses and villas, where you can spend weekends and holidays with family and friends.

Let fantasy carry you away to a perfect leisure space and invite Sodnamis[®] to join you for making it a reality.



What will you find in our catalogue

Dear customer, all our team is working constantly on developing new models and constructional ideas for houses of all sizes and purposes. We strive to meet newest trends in garden and houses design, also follow the movements of public feeling of sustainability, ecology, minimalism and healthy life style. That is why we offer big range of standard models to meet customers' needs at the best possible price.

In this catalogue you will find wide range of garden sheds/storage cabins of different designs, which are created for modern or classical style garden. Sheds are grouped according to roof type (which usually defines shed's style). We offer these types of roofs: gable roof, shed roof, flat roof and hip roof. Shed/storage cabin internal area can vary from 2 to 14m2 to meet owners needs of different size gardens or yards. Some sheds are offered with 2 separate rooms, with possibility to use it for different purposes.

Next category is our standard garden houses/log cabins. A large range of log cabin in several wall thickness and designs add extra living space to home with a versatile garden room. These cabins can serve different purposes from storage to pool houses. In the catalogue garden houses are grouped according to roof type: gable roof, shed roof and flat roof. Sizes varies between 12 and 40 square meters of internal area.

A newest addition to our standard range is home offices/studios. Working from home is the new normal these days. Nearly everyone has made unique adjustments to their personal and professional lives. A separate office is a great addition to your home if you're required to work remotely and want the benefit of physically and mentally "leaving" work at the end of the day. Or maybe you want a separate home office to work on projects or hobbies during off-hours and would benefit from the additional space.



A dedicated work space in your home helps you set aside household distractions and focus on work. Our team offers a range of modern and classic looking home offices of various sizes, which can fit different outside spaces. Our team designed these houses to be spacious and cozy to offer customers more natural light and productive environment.

Next categories in our standard range are summer houses and villas. Wooden houses are an increasingly popular and much-loved alternative for a healthier, ecologically-balanced, and organic living. Prefabricated wooden villas are great solution for country house or even living house, as they can be of different sizes and layouts. These houses can be easily insulated and adjusted for colder seasons. Our team offer a wide range of summer houses and villas, which are categorized by size and layouts. To make search in catalogue easier we divided house sizes to these groups: 20-40 m2, 40-60 m2, 60+ m2 and more, also 1 story and 2 stories houses.

We offer a range of wooden garages and carports, which are one of the fastest and easiest way to build. Garages can be supple in full set with wooden or metal garage gates. Carports have different options of parking space and some of the models have separate storage room for even more practical use.

In the catalogue you will also find a range of gazebo and pergolas. Our range of wooden gazebos and pergolas features many styles and designs. We offer different roof styles so that customers could easily adapt the gazebo/pergola to the design of existing structures.

Also, in our catalogue you will find section with our new concept models. By linking up creative minds and ideas with constructors we seek to find more solutions and options of using wood. The wood is now highly fashionable building material. It is ecological, natural, durable and has survived the test of time. By introducing new and innovative technologies, we always look for sustainable alternatives to provide with new concepts. Housing market of the future requires flexibility and an eye for detail. We are proud to have a team who is always interested in moving forward and offering new solutions.




Ideasplanner.com ©

Do you have a unique design and are you looking for a partner to bring this design to life? The Bespoke House is a one-of-a-kind dwelling that meets the individual needs and tastes of the client and the particular demands of the site.

We developed a first in the market on line tool for designing the house with instant price calculation. Ideasplanner© is a No 1 online configurator of bespoke log cabins, summer houses, villas or sheds. A bespoke home is designed specifically to your unique needs, dreams, and specifications.

Ideasplanner© provides its user possibility of choosing different types of wood thickness, roof style, windows and doors and many other technical features which makes our configurator very convenient and versatile. Our configurator has user friendly interface and is made for intuitive use. We constantly work on developing our configurator to offer even more options and possibilities. Using Ideasplanner© clients are welcome to personalize their wooden house and we make this experience easy, creative and pleasant.







Shed/storage cabins

E G


CO I

Gable roof Shed roof Flat roof

Hip root

A

Gable roof p.8-17





Amarillo 3x5,96





p. 25



p. 9

p. 11

p. 13

p. 15

p. 20

p. 22

p. 25

	Alva 3x4 p.8 p.8 Dedford 2,2x2,2 p.10 Deford 2,2x2,2 Deford 2,2x2,2x	Alva 4x3 p.9 Bedford 2,2x3 p.11 Frna 2,5x3,4 p.13 Kiosk 4x4 p.15	Alva 4x4 p.9 Elise 3x5,9 p.11 Genova 3,8x3 p.13 Mantova 2,5x2 p.15
	M o d e n a 3 x 2 , 5	Osaka 3,2x3,2 p. 17	
20)		
	Edith series	Lima 4,5x3 p.20	Toronto 3x3
3			
	Eric 3,3x7,36 p.21	Lulu-1 2,4x1,2 p.22	Lulu-2 2,4x2,4 p.2

p. 24



Project specification: External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 23 m² Roof area: 16m²

windows&doors

Windows and doors:

28mm

wall logs

Door: 1 double 100% glass 1,85x1,4 m Window: 1 single 0,92x0,7 m and 1 double 0,92x1,3 m Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑


19mm

floor boards

28x60

floor bearers

*See optional products pages 26-27




Project specification:

External measures: 3x4 m Base footprint: 2,8x3,8 m Internal house area: 10,27 m² External wall area: 27 m² Roof area: 19 m²


Windows and doors:

Door: 1 double 100% glass 1,85x1,4 m Window: 1 single 0,92x0,7 m and 1 double 0,92x1,3 m Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑



Project specification: External measures: 4x3 m Base footprint: 3,8x2,8 m Internal house area: 10,3 m² External wall area: 27 m² Roof area: 20 m² Windows and doors: Door: 1 double 100% glass 1,85x1,4 m Window: 2 double 0,92x1,3 m Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑


*See optional products pages 26-27



Project specification: External measures: 4x4 m Base footprint: 3,8x3,8 m Internal house area: 14 m² External wall area: 32 m² Roof area: 24 m² Windows and doors: Door: 1 double 100% glass 1,85x1,4 m Window: 2 double 0,92x1,3 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

Atlanta 3,56x2,2



External measures: 3,56x2,2 m Base footprint: 3,36x2 m Internal house area: 5 m² External wall area: 21,2 m² Roof area: 9,6 m²

Internal house area: 3,8 m² External wall area: 16 m²


Roof area: 7 m²


Windows and doors: Door: 1 double 50% glass 1,85x1,4 m, 1 double full wood 1,85x1,4 Threshold: covered with steel

*See optional products pages 26-27


Storm braces: 🗹

Bedford 2, 2x 2, 2





6-17





External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 19,5 m² Roof area: 12 m²

Door: 1 quadruple 100% glass 1,85x2,4 m (door 1,85x1,4 m and 2units of windows 1,85x0,5 m) Window: 1 double 0,92x1,3 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products pages 26-27





External measures: 2,5x3,4 m Base footprint: 2,3x3,2 m Internal house area: 7,1 m² External wall area: 22,6 m² Roof area: 10,5 m²

Internal house area: 9,7 m²

External wall area: 26,4 m²

Roof area: 17,8 m²


Door: 1 double 50% glass 1,85x1,4 m Window: 1 single 0,92x0,7 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products pages 26-27

Grids for

Genova 3,8x3 Article No. S26224



6-17

*See optional products pages 26-27

Storm braces:




External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 22,6 m² Roof area: 14,7 m²

Window: 1 single 0,92x0,7 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products pages 26-27




Project specification: External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 21 m² Roof area: 10,9 m²

Windows and doors: Door: 1 single full wood 1,85x0,85 m Shutters: 5 kiosk type 1x0,96 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: 🗹 Installation kit: 🗹 Storm braces: 🗹

Kiosk 4 x 4 Article No. 526638



Project specification: External measures: 4x4 m Base footprint: 3,8x3,8 m Internal house area: 14 m² External wall area: 29 m² Roof area: 18,4 m²

Windows and doors: Door: 1 single full wood 1,85x0,85 m Shutters: 5 kiosk type 1x1,4 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑


*See optional products pages 26-27

Mantova 2,5x2



Project specification: External measures: 2,5x2 m Base footprint: 2,3x1,8 m Internal house area: 3,9 m² External wall area: 16,5 m² Roof area: 6,7 m² Windows and doors: Door: 1 single 50% glass 1,85x0,85 m Window: 1 single 0,92x0,7 Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

Megy_{Article No. S26293}2,6x4,1




Project specification: External measures: 2,6x4,1 m Base footprint: 2,4x3,9 m Internal house area: 9 m² External wall area: 24,2 m² Roof area: 13,4 m²

Roof area: 12,9 m²

Windows and doors:

Door: 1 double 50% glass 1,85x1,4 m and 1 single full wood 1,85x0,85 m Window: 1 double 0,92x1,3 m Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

*See optional products pages 26-27





Osaka 3,2x3,2 Article No. 526294



<u>15</u>



19mm

floor boards



Project specification: External measures: 3,2x3,2 m Base footprint: 3x3 m Internal house area: 8,7 m² External wall area: 28 m² Roof area: 14,7 m²

Windows and doors: Door: 1 double full wood1,85x1,4 m Window: 1 single 0,39x1,5 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

3 200





Project specification: External measures: 2,5x4 m Base footprint: 2,3x3,8 m Internal house area: 8,4 m² External wall area: 24 m² Roof area: 11,8 m²

Windows and doors: Door: 1 double 50% glass 1,85x1,4 m Window: 1 single 0,92x0,7 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑





Total height < 2,5 m: ☑

Installation kit:

Possible reverse montage: 🗹

Windows and doors: Door: 1 double 50% glass 1,85x1,4 m Threshold: covered with steel

Edith 2,2x2,2 Article No. 526333

Project specification: External measures: 2,2x2,2 m Base footprint: 2x2 m Internal house area: 3,8 m² External wall area: 17 m² Roof area: 6,6 m² Roof angle: 8°

Edith 2x3

Article No. S26335


Project specification:

External measures: 2x3 m Base footprint: 1,8x2,8 m Internal house area: 4,8 m² External wall area: 19 m² Roof area: 7,8 m² Roof angle: 6°

Edith 3x2 Article No. 526208

Project specification:

External measures: 3x2 m Base footprint: 2,8x1,8 m Internal house area: 4,8 m² External wall area: 19 m² Roof area: 8,1 m² Roof angle: 9°




14,8 m²

000

Storm braces: ☑ *See optional products pages 26-27 E dith 3x2,5

Article No. S26334


Project specification: External measures: 3x2,5 m Base footprint: 2,8x2,3 m Internal house area: 6,2 m² External wall area: 21 m² Roof area: 9,7 m² Roof angle: 7°





Edith 3x3 Article No. 526209

Project specification:

External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 23 m² Roof area: 11,3 m² Roof angle: 6°







Toronto 3x3



Project specification: External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,5 m² External wall area: 25 m² Roof area: 10,8 m² Windows and doors: Door: 1 double full wood 1,85x1,4 m Window: 1 single 0,39x1,5 m

Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

Dalas 2,6x2,6 Article No. S26288 19mm ▲1,5° roof boards 2,23 m 🔽 2,16 m 🔽 Grids for windows&doors 2 600 4 mm 2 600 5,5 m² Å glass 2 3 4 4 28mm wall logs Economy FCO windows&doors 28x60 19mm floor bearers optional (floor boards

Project specification: External measures: 2,6x2,6 m Base footprint: 2,4x2,4 m Internal house area: 5,5 m² External wall area: 21 m² Roof area: 7 m²

Windows and doors: Door: 1 single 50% glass 1,85x0,85 m Window: 1 single 0,92x0,7 Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: Storm braces: ☑

*See optional products pages 26-27

Eric 3,3x7,36 Economy version 3 300 available 44mm Article No. S26214 *see page 60th Grids for 19mm windows&doors roof boards 9 2,09 m 2,16 m ຜິ ▼ w 044 m2 3 0 4 4 360 12,3 m² 060 4 mm glass 28x60 28mm 19mm Economy ECO wall logs floor bearers floor boards windows&doors optional Project specification: Windows and doors: Total height < 2,5 m: ☑ External measures: 3,3x7,36 m Door: 1 double 100% glass 1,85x1,4 m Installation kit: Base footprint: 3,1x7,16 m Threshold: covered with steel Storm braces: Internal house area: 9,3m² External wall area: 35 m² *See optional products pages 26-27


Roof area: 25 m²




External measures: 2,4x1,2 m Base footprint: 2,2x1 m Internal house area: 2 m² External wall area: 15 m² Roof area: 2,9 m² Windows and doors: Door: 1 single full wood 1,85x0,85 m Window: 1 single 0,39x0,7 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

*See optional products pages 26-27



Project specification: External measures: 2,4x2,4 m Base footprint: 2,2x2,2 m Internal house area: 4,6 m² External wall area: 22 m² Roof area: 6 m² Windows and doors: Door: 1 single full wood 1,85x0,85 m Window: 2 single 0,39x0,7 m Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑



Base footprint: 3,2x2,2 m Internal house area: 6,7 m² External wall area: 23,4 m² Roof area: 8,2 m²

21-23

Window: 1 single 0,39x1,5 m and 1 single 0,39x0,7 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products pages 26-27

Madrid 2,14x2,15 Article No. S26292 19mm roof boards 2,23 m 🔽 <u>2</u>° 2,16 m 0, Economy ECC windows&doors



4 mm

glass

28x60

floor bearers

Grids for windows&doors

19mm floor boards

optional

28mm

wall logs


Project specification: External measures: 2,14x2,15 m Base footprint: 1,94x1,95 m Internal house area: 3,6 m² External wall area: 18 m² Roof area: 5,3 m²

Windows and doors: Door: 1 single 50% glass 1,85x0,85 m Window: 1 single 0,39x0,7 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: 🗹 Installation kit: 🗹 Storm braces: 🗹

Grids for


Amarillo 3x5,96 Article No. S28114




Project specification: External measures: 3x5,96 m Base footprint: 2,8x5,76 m Internal house area: 7 m² External wall area: 28 m² Roof area: 22,3 m²

Windows and doors: Door: 1 double 50% glass 1,85x1,4 m Window: 2 single 1,43x0,7 m Threshold: covered with steel

Installation kit: Storm braces:





28x60 floor bearers

Project specification: External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,1 m² External wall area: 20 m² Roof area: 10,8 m²

Windows and doors: Door: 1 double 50% glass 1,85x1,4 m Window: 2 single 0,92x0,7 m Threshold: covered with steel

Total height < 2,5 m: ☑ Installation kit: Storm braces:

19mm

floor boards


*See optional products pages 26-27

4 mm

glass

7,1 m²

Economy



Optional products

C	1	5	
2		-	
• •	_		
5		2	
ſ			
C		ر ر	
C	L	J	
ζ		5)
ſ			
7	_		
¢	2	>	
+		,	
c	'	5	
-	-	-	
7	2	5	
¢	L	J	
4		-	
c	1	5	
7		-	
(
Ц	_	-	

Underlayer cover 18m' cover 21m' cover 21m' 22m' 27m' 11m' 8m' 24m' 10m' 24m' 11m' 13m' 12m' 20m' 12m' 7m' 7m' 7m' 13m' 7m' 13m' 7m' 11m' 13m' 11m' 11m' 12m' 11m' 13m' 11m'	
derlayer 18m 21m 22m 22m 22m 22m 10m 11m 20m 20m 20m 7m 7m 7m 7m 11m 11m 11m 11m 12m	
	1 2m′
Bitumen roof tiles 21m ² 21m ² 21m ² 27m ² 9m ² 12m ² 9m ² 12m ² 27m ² 12m ² 27m ² 12m ² 12m ² 27m ² 12m ² 12m ² 9m ² 9m ² 9m ² 9m ² 15m ² 15m ² 15m ² 9m ² 112m ² 12	1 2m ²
Dipping (pine colour)	
Article No. S26905 S26199 S26600 S26600 S26201 S26201 S26201 S26211 S26211 S26211 S26213 S26213 S26213 S26213 S26638 S26638 S26638 S26638 S26638 S26633 S26635 S266555 S2665555 S26655555555555555555555555555555555555	S26295
Name Alva 3x3 Alva 3x3 Alva 4x4 Alva 4x4 Alva 4x4 Atlanta 3,56x2,2 Bedford 2,2x2,2 Bedford 2,2x3 Elise 3x5,9 Emma 3x3 Elise 3x5,9 Emma 3x3 Erna 2,5x3,4 Genova 3,8x3 Imperial 3x3 Kiosk 3x3 Kiosk 4x4 Mantova 2,5x4 Genova 2,5x4 Genova 3,8x3 Imperial 3x3 Erna 2,5x3 Cosaka 3,2x2,5 Modena 3,25,5 Megy 2,6x4,1 Osaka 3,25,5 Megy 2,6x4,1 Osaka 3,25,5 Medith 2,2x2,2 Edith 2,2x2,5 Edith 3x2 Edith 3x3 Lima 4,5x3	× 3
Shed roof Gable roof	loronto 3

²² Optional products For shed/storage cabins

EPDM roof cover Terrace	8 m ²	2.7 m ²	4 m ²	7 m ²	9 m ²	6 m ²				
EPE Underlayer o	•	•	•	•	•	•	🔵 25 m′	• 10m′	🔵 12m'	🔵 17m'
Bitumen roof tiles							27 m ²	15 m ²	18m ²	🔵 2 1 m ²
Dipping (pine colour)	•	•	•	•	•	•	•	•	•	•
Article No.	S26288	S26214	S26289	S26290	S26291	S26292	S28114	S26239	S16294	
Name	Dalas 2,6x2,6					Madrid 2,14x2,15				Rita 3x4,4
Dipping Article No. (pine colour)	Dalas 2,6x2,6	Eric 3,3x7,36		Lulu-2 2,4x2,4	Lulu-3 3,4x2,4	,15	Amarillo 3x5,96	Colombo 2,6x2,6		

Garden house

28-63

Gable roof Flat roof

Gable roof p.30-57



Deko 5x3



Hakan A 6x5,2



UNIT IL

Linus 5 series p.39



Milano 3,8x3,8 p.47



Padova B 6x6,5



Torino 4,5x6



Eko 5x5,7



Hakan B 7x7,19 p.35



Linus 6 series



Murray 4x6 p.48



Roberto 5,6x4



p.57



p. 32



Helmand 3x9 p.36



Linus 5 WC series



Oslo 3x6



Scandi 3,7x6,9 p.53



Erna series p. 33



Linus 4 series



Linus 6 WC series



Padova A 6x4,5 p.50



Suzy 3,2x6

Flat roof p.58-61



Eric 3,3x7,36




Eric 3x2,5 no canopy p.59



Ottawa 6x4,5



Rico 4,04x7,8



Project specification:


External measures: 5x3 m Base footprint: 4,8x2,8 m Internal house area: 12,7 m² External wall area: Premium - 30,3 m² Economy - 28,3 m² Roof area: 19,2 m²

Windows and doors:

Door:

Premium - 1 double 50% glass 1,98x1,6 m and 1 single full wood 1,7x0,85 m Economy - 1 double 50% glass 1,85x1,6 m and 1 single full wood 1,7x0,85 m Window: 1 single 0,92x0,7 m Threshold: covered with steel

Total height <2,5 m: ☑(Economy only) Installation kit: Storm braces:




Project specification: External measures: 5x5,7 m Base footprint: 4,8x5,5 m Internal house area: 25,1 m² External wall area: Premium - 43 m² Economy - 40,3 m² Roof area: 35,4 m²

Windows and doors:

Door:


Premium - 1 single 50% glass 1,98x0,85 m and 2 single full wood 1,98x0,85 m Economy - 1 single 50% glass 1,85x0,85 m and 2 single full wood 1,85x0,85 m Window: 2 single 0,92x0,7 m and 2 double 0,92x1,3 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces: 🗹



Roof area: 21,7 m²


Erna series




Windows and doors: Door:

Premium - 1 double 50% glass 1,98x1,6 m *Economy* - 1 double 50% glass 1,85x1,6 m **Window:** 1 single 0,92x0,7 m **Threshold:** covered with steel Total height <2,5 m: ☑(Economy only) Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑ *See optional products pages 62-63

30-57




Internal house area: 27,0 Terrace area: 5,5 m² External wall area: Premium - 50,3 m² Economy - 47,2 m² Roof area: 35,6 m² Premium - 2 single 50% glass 1,98x0,85 m and 2 single full wood 1,98x0,85 m Economy - 2 single 50% glass 1,85x0,85 m and 2 single full wood 1,85x0,85 m Window: 2 double 0,92x1,3 m and 3 single 0,39x0,7 m Threshold: covered with steel Garden house



Garden house

30-57



External measures: 3x9 m Base footprint: 2,8x8,8 m Internal house area: 21,8 m² Terrace area: 1,5 m² External wall area: *Premium* - 55 m² *Economy* - 51,8 m² Roof area: 32,2 m²


Windows and doors:

Door:

Premium - 1 double 50% glass 1,98x1,6 m and 1 single full wood 1,98x0,85 m Economy - 1 double 50% glass 1,85x1,6 m and 1 single full wood 1,85x0,85 m Window: 6 single 0,92x0,7 m Threshold: covered with steel

Total height <2,5 m: ☑(Economy only) Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

Linus 4 series




Linus 4x3 Premium-Article No. S26755

Economy-Article No. S26757

Project specification:

External measures: 4x3 m Base footprint: 3,8x2,8 m Internal house area: 10,1 m² External wall area: *Premium* - 26,3 m² *Economy* - 24,7 m² Roof area: 17,8 m²




Linus 4x4 Premium-Article No. 526233

Economy-Article No. S26760

Project specification:

External measures: 4x4 m Base footprint: 3,8x3,8 m Internal house area: 13,8 m² External wall area: Premium - 30,5 m² Economy - 28,6 m² Roof area: 22,2 m²



Linus 4x5

Premium-Article No. S26234 Economy-Article No. S26754

Project specification:

External measures: 4x5 m Base footprint: 3,8x4,8 m Internal house area: 17,5 m² External wall area: Premium - 34,7 m² Economy - 32,5 m² Roof area: 26,7 m²


Windows and doors:

Door: Premium - 1 double 50% glass 1,98x1,6 m Economy - 1 double 50% glass 1,85x1,6 m Window: 2 double 0,92x1,3 m Threshold: covered with steel



Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑ Garden house

Linus 5 series



Linus 5x4 Premium-Article No. S26235 Economy-Article No. S26764

Project specification:

External measures: 5x4 m Base footprint: 4,8x3,8 m Internal house area: 17,5 m² External wall area: Premium - 36 m² Economy - 33,7 m² Roof area: 27,4 m²


5000 4712 000 17,5 m² 000

Linus 5x5 Premium-Article No. S26236

Economy-Article No. S26763

Project specification:

External measures: 5x5 m Base footprint: 4,8x4,8 m Internal house area: 22,2 m² External wall area: Premium - 40,2 m² Economy - 37,7 m² Roof area: 32,9 m²



Linus 5x6 Premium-Article No. S26758


Economy-Article No. S26759

Project specification:

External measures: 4,96x5,96 m Base footprint: 4,8x5,8 m Internal house area: 26,9 m² External wall area: Premium - 44 m² Economy - 41,3 m² Roof area: 38,3 m²


Windows and doors:

Door: Premium - 1 double 50% glass 1,98x1,6 m Economy - 1 double 50% glass 1,85x1,6 m Window: 2 double 0,92x1,3 m Threshold: covered with steel



Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑ 30-57

Linus 6 series




Linus 6x4 Premium-Article No. 527466

Economy-Article No. S27465

Project specification:

External measures: 5,96x3,96 m Base footprint: 5,8x3,8 m Internal house area: 21,2 m² External wall area: Premium - 41,4 m² Economy - 39 m² Roof area: 32,6 m²




Linus 6x5 Premium-Article No. S27463

Economy-Article No. S27464

Project specification:

External measures: 5,96x4,96 m Base footprint: 5,8x4,8 m Internal house area: 26,9 m² External wall area: Premium - 45,5 m² Economy - 42,6 m² Roof area: 39,1 m²



Linus 6x6 Premium-Article No. 526237


Economy-Article No. S26237

Project specification:

External measures: 5,96x5,96 m Base footprint: 5,8x5,8 m Internal house area: 32,6 m² External wall area: Premium - 49,7 m² Economy - 46,7 m² Roof area: 45,6 m²


Windows and doors:

Door: Premium - 1 double 50% glass 1,98x1,6 m Economy - 1 double 50% glass 1,85x1,6 m Window: 2 double 0,92x1,3 m Threshold: covered with steel



Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑ Garden house

Linus 5 WC series




Linus 5x4 WC

Premium-Article No. S26771 Economy-Article No. S28440

Project specification:

External measures: 5x4 m Base footprint: 4,8x3,8 m Internal house area: 17,3 m² External wall area: *Premium* - 36 m² *Economy* - 33,7 m² Roof area: 27,4 m²




Linus 5x5 WC

Economy-Article No. S28442

Project specification:

External measures: 5x5 m Base footprint: 4,8x4,8 m Internal house area: 22 m² External wall area: Premium - 40,2 m² Economy - 37,7 m² Roof area: 32,9 m²




Windows and doors: Door:

Premium - 1 double 50% glass 1,98x1,6 m and 1 single full wood 1,85x0,85 Economy - 1 double 50% glass 1,85x1,6 m and 1 single full wood 1,85x0,85 Window: 2 double 0,92x1,3 m and 1 single 0,52x0,5 Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

*See optional products pages 62-63

Linus 6 WC series




Linus 6x5 WC

Premium-Article No. S26774 Economy-Article No. S28441

Project specification:

External measures: 5,96x4,96 m Base footprint: 5,8x4,8 m Internal house area: 26,7 m² External wall area: Premium - 45,5 m² Economy - 42,6 m² Roof area: 39,1 m²




Linus 6x6 WC Premium-Article No. S26238

Economy-Article No. S26767

Project specification:

External measures: 5,96x5,96 m Base footprint: 5,8x5,8 m Internal house area: 32,4 m² External wall area: Premium - 49,7 m² Economy - 46,7 m² Roof area: 45,6 m²




Windows and doors: Door:

Premium - 1 double 50% glass 1,98x1,6 m and 1 single full wood 1,85x0,85 Economy - 1 double 50% glass 1,85x1,6 m and 1 single full wood 1,85x0,85

Window: 2 double 0,92x1,3 m and 1 single 0,52x0,5 Threshold: covered with steel

Possible reverse montage: 🗹 Installation kit: Storm braces: 🗹


*See optional products pages 62-63



External measures: 3,8x5,3 m Base footprint: 3,6x5,1 m Internal house area: 12,3 m² Terrace area: 5,1 m² External wall area: *Premium* - 32,6 m² *Economy* - 30,9 m² Roof area: 22,5 m²

Windows and doors:

Door: Premium - 1 double 100% glass 1,98x1,6 m Economy - 1 double 100% glass 1,85x1,6 m Window: Premium - 1 single 0,92x0,7 m and 2 single 1,98x0,5 m Economy - 1 single 0,92x0,7 m and 2 single 1,85x0,5 m Threshold: covered with steel Total height <2,5 m: ☑(Economy only) Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑




External measures: 3,96x5,96 m Door: Base footprint: 3,8x5,8 m Internal house area: 21,1 m² External wall area: Premium - 40,7 m² Economy - 38,2 m² Roof area: 28,1 m²

Windows and doors:

Premium - 1 single 50% glass 1,98x0,85 m and 1 single full wood 1,98x0,85 m Economy - 1 single 50% glass 1,85x0,85 m and 1 single full wood 1,85x0,85 m Window: 4 double 0,92x1,3 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces: 🗹

30-57




Threshold: covered with steel

Garden house


30-57

49

Roof area: 25,8 m²



Garden house




0,92x0,7 m and 1 double 0,92x1,3 m Economy - 2 single 1,85x0,5 m, 2 single

0,92x0,7 m and 1 double 0,92x1,3 m

Threshold: covered with steel

Roof area: 53 m²



External measures: 5,6x4 m Base footprint: 5,4x3,8 m Internal house area: 19,5 m² External wall area: *Premium* - 41,6 m² *Economy* - 39 m² Roof area: 30,6 m²

Windows and doors: Door:

Premium - 2 single full wood 1,98x0,85 m and 1 double 50% glass 1,98x1,6 m Economy - 2 single full wood 1,85x0,85 m and 1 double 50% glass 1,85x1,6 m Window: 1 double 0,92x1,3 m and 1 single 0,52x0,5 m Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

Scandi 3,7x6,9



30-57




Project specification:

External measures: 3,7x5,9 m Base footprint: 3,5x6,8 m Internal house area: Ground floor - 17,3 m² Attic floor - 7,6 m² Terrace area: 5,6 m² External wall area: 44 m² Roof area: 39,7 m²

Windows and doors:

Door: 1 quandruple 100% glass 1,98x3 m, 1 single 100% glass 1,98x0,85 m and 1 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 0,39x1,5 m and 2 trapezoid 0,8x1,5 m Threshold: covered with steel Attic floor: ☑ Stair (space saver): ☑ Installation kit: ☑




External measures: 3,2x6 m Base footprint: 3x5,8 m Internal house area: 14,2 m² Terrace area: 10,4 m² External wall area: *Premium* - 38,5 m² *Economy* - 34,5 m² Roof area: 34,5 m²

Windows and doors:


Door: *Premium* - 1 single full wood 1,98x0,85 m, 1 single 100% glass 1,98x0,85 m and 1 double 100% glass 1,98x1,6 m *Economy* - 1 single full wood 1,85x0,85 m, 1 single 100% glass 1,85x0,85 m and 1 double 100% glass 1,85x1,6 m Window: 2 single 143x70 m and 4 double 1,43x1,3 m Threshold: covered with steel

Installation kit: 🗹


Torino 4,5x6 *44mm and 68mm options are available



44mm Premium - Article No. S26262 Economy - Article No. S26957



68mm Article No. 526263




Project specification: External measures: 4,46x5,96 m Base footprint: 4,3x5,8 m Internal house area: *Ground floor* - 23,7 m² *Attic floor* - 10,4 m²


External wall area: *Premium* - 50 m² *Economy* - 47 m² **Roof area:** 42,9 m² Windows and doors: Door:

Premium - 2 single full wood 1,98x0,85 m, 1single 50% glass 1,98x0,85 m and 1 double 50% glass 1,98x1,6 m

30-57

Garden house






Project specification: External measures: 5,96x4,96 m Door: Base footprint: 5,8x4,8 m Internal house area: 26,9 m² Terrace: 13,5 m² External wall area: Premium - 50 m² Economy - 47 m² Roof area: 49,4 m²

Windows and doors:

Premium - 1 double 100% glass 1,98x1,6 m Economy - 1 double 100% glass 1,85x1,6 m Window: 2 double 0,92x1,3 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces: ☑


Garden house



External measures: 3,3x7,36 m Base footprint: 3,1x7,16 m Internal house area: 9,1 m² Terrace: 12,4 m² External wall area: *Premium* - 35,8 m² *Economy* - 33,5 m² Roof area: 24,7 m²

Windows and doors:

Door: Premium - 1 double 100% glass 1,98x1,6 m Economy - 1 double 100% glass 1,85x1,6 m Threshold: covered with steel Total height <2,5 m: ☑ Installation kit: ☑ Storm braces: ☑




External measures: 3x2,5 m Base footprint: 2,8x2,3 m Internal house area: 6 m² External wall area: *Premium* - 22,1 m² *Economy* - 20,6 m² Roof area: 7,8 m²

Windows and doors:

Door:

Premium - 1 double 100% glass 1,98x1,6 m *Economy* - 1 double 100% glass 1,85x1,6 m **Threshold:** covered with steel Total height <2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑



External measures: 5,96x4,46 mDoor:Base footprint: 5,8x4,3 mPreminingInternal house area: 23,8 m²and 2External wall area:EconomPremium - 40,9 m²and 2Economy - 38,1 m²WindowRoof area: 27,3 m²Premining

Windows and doors: Door:

Premium - 1 double 100% glass 1,98x1,6 m and 2 single full wood 1,98x0,85 m Economy - 1 double 100% glass 1,85x1,6 m and 2 single full wood 1,85x0,85 m Window: Premium - 2 single 1,98x0,5 m, 2 single 0,92x0,7 m and 1 double 0,92x1,3 m Economy - 2 single 1,85x0,5 m, 2 single 0,92x0,7 m and 1 double 0,92x1,3 m Total height <2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

*See optional products pages 62-63

58-61

Threshold: covered with steel



External measures: 4,04x7,8 m Base footprint: 3,84x7,6 m Internal house area: 21,3 m² Terrace: 6,8 m² External wall area: *Premium* - 39,2 m² *Economy* - 36,5 m² Roof area: 32,3 m²

Windows and doors: Door:

Premium - 1 double 100% glass 1,98x1,6 m, 1 single full wood 1,98x0,85 m and 1 single 100% glass 1,98x0,85 m *Economy* - 1 double 100% glass 1,85x1,6 m, 1 single full wood 1,85x0,85 m and 1 single 100% glass 1,85x0,85 m

Threshold: covered with steel

Window:

Premium - 1 single 0,52x0,5m, 1 single 0,92x0,7 m and 2 single 1,98x0,85 m Economy - 1 single 0,52x0,5m, 1 single 0,92x0,7 m and 2 single 1,85x0,85 m

Total height <2,5 m: ☑ Installation kit: ☑ Storm braces: ☑

Optional products For garden house

	Article No.	Dipping	Bitumen roof	-	EPDM roof	Metal roof		ł	Quality of windows	
Wall Name	Premium/Economy (pine colour)	(pine colour)	tiles	Underlayer	cover	cover	Kain gutters	lerrace	and doors	Insulation
4.4 Deko 5x3	S26206/S27438	•	🔵 24m²	•21m′		•	•	• 5x1,5		
4 4 Eko 5x5,7	S26210/S27443	•	3 9m²	a 39m′		•	•	• 5×1,5	P+	Walls/roof/floor
4 4 Elise 3x5,9	S26352/S27445	•	• 27m ²	o 24m′		•	•			
4 4 Erna 2,5x3,4	S27449/S27450	•	12m ²	• 12m′		•	•			
4 4 Erna 2,5x4,5	S26216/S26922	•	18m ²	1 4m′		•	•			
4 4 Hakan A 6x5,2	S26228/S26742	•	🔵 39m²	4 0m′		•	•		+4	Walls/roof/floor
4.4 Hakan B 7x7,19	S24190/S26743	•	6 0m ²	6 1m′		•	•		P+	Walls/roof/floor
4 4 Helmand 3x9	S26196/S26935	•	36m ²	a 36m′		•	•		+4	Walls/roof/floor
4 4 Linus 4x3	S26755/S26757	•	●21m ²	0 20m′		•	•	•4x1,5		
4 4 Linus 4x4	S26233/S26760	•	• 24m ²	• 25m′		•	•	• 4x1,5		
4 4 Linus 4x5	S26234/S26754	•	3 0m ²	3 0m′		•	•	• 4×1,5		
4 4 Linus 5x4	S26235/S26764	•	30m ²	• 30m′		•	•	• 5×1,5		
44 Linus 5x5	S26236/S26763	•	3 6m ²	3 7m′		•	•	• 5×1,5		
4 4 Linus 5x6	S26758/S26759	•	42m ²	4 3m′		•	•	• 5×1,5		
0 44 Linus 6x4	S27466/S27465	•	3 6m²	3 6m′		•	•	● 6×1,5		
0 44 Linus 6x5	S27463/S27464	•	• 42m ²	4 3m′		•	•	6 ×1,5		
44 Linus 6x6	S26237/S26766	•	4 8m ²	●51m′		•	•	● 6×1,5		
44 Linus 5x4 WC	S26771/S28440	•	30m ²	a 30m′		•	•	• 5x1,5		
α 44 Linus 5x5 WC	S26773/S28442	•	3 6m ²	3 7m′		•	•	• 5×1,5		
G 44 Linus 6x5 WC	S26774/S28441	•	• 42m ²	4 3m′		•	•	6 ×1,5		
4 4 Linus 6x6 WC	S26238/S26767	•	4 8m ²	●51m′		•	•	6 ×1,5		
4.4 Milano 3,8x3,8	S26781/S26782	•	• 27m ²	🔵 25m′		•	•			
4.4 Murray 4x6	S26936/S26248	•	3 3m ²	3 1m′		•	•	6 ×1,5	P+	Walls/roof/floor
4 4 Oslo 3x6	S26270/S26937	•	3 3m ²	@ 29m′		•	•		P+	Walls/roof/floor
4 4 Padova A 6x4,5	S26251/S26785	•	4 2m ²	4 3m′		•	•		P+	Walls/roof/floor
4 4 Padova B 6x6,5	S26252/S26788	•	● 57m ²	• 59m′		•	•		+4	Walls/roof/floor
4 4 Roberto 5,6x4	S26789/S26790	•	3 3m ²	3 4m′		•	•			
4 4 Scandi 3,7x6,9	S26284	•	45m ²	4 4m′		•	•		P+	Walls/roof/floor
4.4 Suzy 3,2x6	S26261/S26941	•	4 2m ²	3 8m′		•	•		P+	Walls/roof/floor
44 Torino 4,5x6 68	S26262/S26957 S26263	•	• 48m ²	4 8m′		•	•	4 ,5x1,5	P+, HQ, PVC	Walls/roof/floor
O 44 Trento 6x5	S26264/S26958	•	6 54m ²	6 55m'		•	•			

⁶Optional products

e
S
Π
0
4
2
θ
σ
7
σ
б
L
0
Ц

	Article No.	Dipping	Bitumen roof		EPDM roof	Metal roof			Quality of windows	S
Wall Name	Premium/Economy	(pine colour)	tiles	Underlayer	cover	cover	Rain gutters	Terrace	and doors	Insulation
0 44 Eric 3,3x7,36	S26353/S27447	•			26m ²		•			
Q 44 Eric 3x2,5	S27448/S26753	•			🔴 9m²		•			
t 44 Ottawa 6x4,5	S26275/S26938	•			• 29m²		•	6 ×1,5	P+	Walls/roof/floor
	S26272/S26939	•			3 4m ²		•		P+	Walls/roof/floor

Home office/ studio

the fit of the





Nuuk 5x3,84 p.68



Wik 4,5x3,5



Bergen 4,2x8



Oden 5x3,5 p.68



Emily 4,04x7,08



Sydney 3,8x3,8 p.69




Lille 6x3,5



Togo 3x3 p.69





Project specification: External measures: 5x3 m Base footprint: 4,8x2,8 m Internal house area: 12.8 m² External wall area: 32 m² Roof area: 15 m²

Windows and doors: Door: 1 double 100% glass 1,98x1,6 m Window: 1 single 0,39x1,5 m and 1 double 1,98x1,5 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products page 71

4-12-4

Bergen 4,2x8 Article No. S26271



Project specification: External measures: 4,2x8 m Base footprint: 4x7,8 m Internal house area: 16,8 m² Terrace: 12.9 m² External wall area: 36 m² Roof area: 33,6 m²

Windows and doors: Door: 1 double 100% glass 1,98x1,6 m, Installation kit: 1double full wood 1,98x1,6 m Window: 5 single 0,39x0,7 m and 2 single 1,98x0,85 m Threshold: covered with steel

Total height < 2,5 m: ☑ Storm braces:

Emily 4,04x7,08 Article No. 526276



Project specification: External measures: 4,04x7,8 m Base footprint: 3,84x7,6 m Internal house area: 21,3 m² Terrace: 6,8 m² External wall area: 41 m² Roof area: 36,2 m²

Windows and doors:

Door: 1 double 100% glass 1,98x1,6 m, 1 single 100% glass 1,98x0,85 m and 1 single full wood 1,98x0,85 m **Window:** 1 single 0,52x0,5 m, 1 single 0,92x0,7 m and 2 single 1,98x0,85 m **Threshold:** covered with steel Total height < 2,5 m: ☑ Installation kit: ☑ Storm braces: ☑


*See optional products page 71

Lille 6x3,5 Article No. S25470 Premium 19mm 2,56 m windows&doors roof boards **∠**4° 3 500 2,30 m 又 1,25 14,4 m² 000 44mm wall logs S õ m 3.9 m² 1 000 3 2 1 2 optional 44x60 4-12-4 28mm 19mm double glazing floor bearers terrace boards floor boards

Project specification: External measures: 6x3,5 m Base footprint: 5,8x3,3 m Internal house area: 18,3 m² Terrace: 5,8 m² External wall area: 37 m² Roof area: 30 m²


Windows and doors: Door: 1 double 100% glass 1,98x1,6 m

and 1 single full wood 1,98x0,85 m Window: 3 single 1,98x0,5 m and 2 single 1,98x0,85 m Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑



3 500 2,43 m ∇ 15,1 m² 4712 5 000 3 2 1 2 optional (44x60 44mm 19mm floor bearers wall logs floor boards Project specification: Windows and doors: Possible reverse montage: ☑

External measures: 5x3,5 m Base footprint: 4,8x3,3 m Internal house area: 15,1 m² External wall area: 39 m² Roof area: 22 m² Windows and doors: Door: 1 quadruple 100% glass 1,98x3,0 m Window: 2 single 0,39x1,5 m, 2 trapezoid 0,4x0,8 m and 2 trapezoid 0,9x1 m Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑




Project specification: External measures: 3,8x3,8 m Base footprint: 3,6x3,6 m Internal house area: 12,3 m² External wall area: 26 m² Roof area: 20,3 m²

Windows and doors: Door: 2 quadruple 100% glass 1,98x3,0 m Threshold: covered with steel

Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑

*See optional products page 71


Togo 3x3 Article No. S26853



Project specification: External measures: 3x3 m Base footprint: 2,8x2,8 m Internal house area: 7,4 m² External wall area: 24 m² Roof area: 9 m²

Windows and doors:

Door: 1 double 100% glass 1,98x1,6 m Window: 2 single 1,98x0,5 m Threshold: covered with steel Total height < 2,5 m: ☑ Possible reverse montage: ☑ Installation kit: ☑ Storm braces: ☑



External measures: 4,5x3,5 m Base footprint: 4,3x3,3 m Internal house area: 13,5 m² Terrace: 4,1m² External wall area: 25 m² Roof area: 19 m² Door: 1 quadruple 100% glass 1,98x3,0 m Window: 2 double 1,98x1,5 m and 1 single 1,98x0,85 m Threshold: covered with steel

Storm braces: 🗹



¹² Optional products For office/studio

42m ² 041m ² 035m ² 0 P+, HQ*, PVC* 42m ² 041m ² 037m ² 0 P+, HQ*, PVC* 33m ² 033m ² 030m ² 0 P+, HQ*, PVC* 33m ² 033m ² 030m ² 0 P+, HQ*, PVC* 24m ² 0.21m ² 0.21m ² 0 P+, HQ*, PVC* 0.10m ² 0.21m ² 0.21m ² 0 P+, HQ*, PVC* 0.00m ² 0.21m ² 0 P+, HQ*, PVC* P+, HO*, PVC*
● 33m′ ● 30m ² ● 24m′ ● 21m ² ● 21m ² ● 20m ² ● 20m ²
• 24m' 22m ² • 22m ² • 21m ² • 20m ²
• •

*Note: HQ or PVC windows&doors quality option is available if wall insulation is included.


Summer house/chalet

60+ m²

20-40 m² 40-60 m²



Alma 7,05x8





Project specification:

External measures: 7,05x8 m Base footprint: 6,85x7,8 m Internal house area: 32,1 m² Terrace: 19,3 m² External wall area: 57 m² Roof area: 61 m²

Windows and doors:

Door: 1 double 100% glass 1,98x1,6 m and 2 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m and 3 double 0,92x1,3 m Threshold: covered with steel Installation kit: ☑ Storm braces: ☑



Project specification: External measures: 5,96x5,96 m Base footprint: 5,8x5,8 m Internal house area: 32,2 m² Terrace: 8,3 m² External wall area: 55 m² Roof area: 50 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 5 single 0,92x0,7 m and 1 double 0,92x1,3 m Threshold: covered with steel Possible reverse montage: ☑ Installation kit: ☑ Shutters kit: ☑



External measures: 6,5x7,7 m Base footprint: 6,3x7,5 m Internal house area: 37,8 m² External wall area: 64 m² Roof area: 52,3 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 7 single 0,92x0,7 m Threshold: covered with steel Installation kit: ☑ Shutters kit: ☑ Summer house/chalet

74-77

Almeria 5,96x8,83



Project specification: External measures: 5,96x8,83 m Base footprint: 5,8x8,67 m Internal house area: 41,8 m² Terrace: 5,2 m² External wall area: 70 m² Roof area: 59,1 m²

1 310

5,2 m²


^{2 688},4 m²

4

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 2 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹

78-87



Project specification: External measures: 5,96x5,96 m Base footprint: 5,8(+2)x5,8(+2) m Internal house area: 32 m² + 14 m² (attic floor) Terrace: 18,5 m²

External wall area: 65 m² Roof area: 59,4 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 2 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 2 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel Attic floor: ☑ Ladder: ☑ Installation kit: ☑ Shutters kit: ☑


*See optional products pages 91

78-87



Gustav A 6x6 WC

44mm



68mm Article No. S29363 5 960 2 798 2 798 2 476 6.9 m² 6.9 m² 5 960 2,1 m² 1 452 \$ 120 1 932 15,4 m² 600 5 664 864 932 18,5 m² 7 664


Project specification:

External measures: 5,96x5,96 m Base footprint: 5,8(+2)x5,8(+2) m Internal house area: 32 m² + 14 m² (attic floor) Terrace: 18,5 m² External wall area: 65 m² Roof area: 59,4 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 2 single 0,52x0,5 m, 2 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel Attic floor: ☑ Ladder: ☑ Installation kit: ☑ Shutters kit: ☑

*See optional products pages 91 78-87



External measures: 5,96x7,96 m Base footprint: 5,8(+2)x7,8(+2) m Internal house area: 44 m² + 19 m² (attic floor) Terrace: 20,7 m² External wall area: 74 m² Roof area: 74,3 m²

Windows and doors:


Door: 1 single 50% glass 1,98x0,85 m and 2 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 2 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel

Attic floor: ☑ Ladder: 🗹 Installation kit: Shutters kit:



Gustav B 6x8 WC

44mm Article No. S29364



Article No. S29365

20,3 m²

7 664

Project specification:

External measures: 5,96x7,96 m Base footprint: 5,8(+2)x7,8(+2) m Internal house area: 44 m² + 19 m² (attic floor) Terrace: 20,7 m² External wall area: 74 m² Roof area: 74,3 m²

Windows and doors:

932


68mm

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 2 single 0,52x0,5 m, 2 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel Attic floor: ☑ Ladder: ☑ Installation kit: ☑ Shutters kit: ☑

82

*See optional products pages 91 78-87

Iberica T2 6,36x8,86 Article No. 526231





Project specification: External measures: 6,36x8,86 m Base footprint: 6,16x8,66 m Internal house area: 44,4 m² Terrace: 6,1 m² External wall area: 68 m² Roof area: 62 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 3 double 0,92x1,3 m and 2 double 1,98x1,5 m Threshold: covered with steel Installation kit: 🗹



Project specification: External measures: 7,4x10 m


Base footprint: 7,2x9,8 m Internal house area: 49,8 m² Terrace: 16,5 m² External wall area: 85 m² Roof area: 82,9 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,92x0,7 m and 4 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹

Summer house/chalet

78-87



External wall area: 74 m²

Terrace: 7,5 m²

Roof area: 60,3 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 1 single full wood 1,98x0,85 m Window: 5 single 0,92x0,7 m and 2 double 0,92x1,3 m Threshold: covered with steel Attic floor: ☑ Stair (space saver): ☑ Installation kit: ☑

7,5 m²

5 2 6 4

432



Project specification: External measures: 8x9 m Base footprint: 7,8x8,8 m Internal house area: 57,6 m² Terrace: 7,6 m² External wall area: 83 m² Roof area: 81 m²

Windows and doors:

Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 0,92x0,7 m and 4 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹

Summer house/chalet
 40-60 m²



Project specification: External measures: 7x10,2 m Base footprint: 6,8x10 m Internal house area: 59 m² Terrace: 5,3 m² External wall area: 88 m² Roof area: 78,9 m²

Windows and doors:

Door: 1 double 50% glass 1,98x1,6 m and 4 single full wood 1,98x0,85 m Window: 6 single 0,92x0,7 m and 1 double 0,92x1,3 m Threshold: covered with steel Installation kit: ☑ Shutters kit: ☑



Base footprint: 7,72x11,64 m Internal house area: 73,8 m² Terrace: 11 m² External wall area: 89 m² Roof area: 102 m²

Windows and doors:

External measures: 7,92x11,84 m Door: 1 single 50% glass 1,98x0,85 m and 5 single full wood 1,98x0,85 m Window: 2 single 0,92x0,7 m, 4 double 0,92x1,3 m and 2 double 1,98x1,5 m Threshold: covered with steel

Installation kit: 1

*See optional products pages 91

88-90

Summer house/chalet



Project specification: External measures: 10,5x8,52 m Base footprint: 10,3x8,32 m Internal house area: 65,4 m² Terrace: 16,8m² External wall area: 96 m² Roof area: 98,2 m²

Windows and doors: Door: 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 2 single 0,92x0,7 m and 4 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹



External measures: 7,1x11,1 m Base footprint: 6,9(+1,2)x10,9 m Internal house area: 62,1 m² Terrace: 12,3 m² External wall area: 85 m² Roof area: 92,2 m²

Windows and doors:

Door: 2 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 0,92x0,7 m and 6 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹

Summer house/chalet

⁶ Optional products

For summer house/chalet

		Dinned	Bitumen roof		Metal roof		Quality of windows and	
Wall Name	Article No.	(pine colour)	tiles	Underlayer	cover	Rain gutters	doors	Insulation
4 4 Alma 7,05x8	S26197	•	66m ²	6 8m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
E 44 Louise 6x6	S26777	•	54m ²	6 55m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
4 68 Lukas 6,5x7,7	S26241	•	● 63m ²	6 58m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
68 Veronica 5x6	S26266	•	3 9m ²	3 9m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
68 Almeria 6x8,87	S26198	•	6 3m ²	6 6m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
44 Gustav A 6x6	S26226 S26227	•	• 66m²	● 66m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
44 Gustav A 6x6 WC	S29362 S29363	•	6 66m ²	● 66m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
A 44 Gustav B 6x8 6 8 6 8	S26262 S26226	•	•81m ²	•83m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
44 Gustav B 6x8 WC	S29364 S29365	•	0 81m ²	8 3m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
6 8 Iberica T2 6,36x8,86	S26231	•	72m ²) e9m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
68 Maja 7,4x10	S26243	•	🔵 93m²	9 2m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
68 Max 5,6x6,6	S26246	•	● 69m²	6 7m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
6 8 Olga 8x9	S27471	•	90m ²)m06	•	•	P+, HQ*, PVC*	Walls/roof/floor
6 8 Scarlett 7x10,2	S26259	•	6 84m ²	8 8m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
E 68 Iberica T3 7,92x11,84	S26230	•	111m ²	🔵 113m′	•	•	P+, HQ*, PVC*	Walls/roof/floor
+ 68 Jennifer 10,5x8,52	S26205	•	102m ²	109m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
6 68 Markus 7,1x11,1	S26245	•	102m ²	102m'	•	•	P+, HQ*, PVC*	Walls/roof/floor
						(

*Note: HQ or PVC windows&doors quality option for 44mm wall thickness is available if wall insulation is included.

Country house/villa



Athena 5,86x11,16 p.104



p.110



Felix 6x10



Salvador 8x11,19 p.108



Verona 5,93x8,75 p.111



Nagano 10,14x8,04 p.106




Sweden 7,5x13,5 p.109




External measures: 7x10 m Base footprint: 6,8x9,8 m Internal house area: 47,4 m² Terrace: 16,6 m² External wall area: 74 m² Roof area: 70,2 m²

Windows and doors:

Door: 1 quadruple 100% glass 1,98x3 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 double 0,92x1,3 m, 2 double 1,43x1,3 m and 2 double 1,98x1,5 m Threshold: covered with steel Installation kit: 🗹





External measures: 8,8x14 m Base footprint: 8,6(+2)x13,8(+1,6) m Internal house area: 99,5 m² Terrace area: 35,9 m² External wall area: 100 m² Roof area: 123,2 m²

Windows and doors:

Door: 1 double 100% glass 1,98x1,6 m, 1 single 100% glass 1,98x0,5 m and 6 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 0,39x1,5 m, 3 single 1,98x0,85 m, 3 double 1,43x1,3 m and 2 double 1,98x1,5 m Threshold: covered with steel

Installation kit: 🗹

*See optional products page 112

94-103



External measures: 9,4x10,7 m Internal house area: 74 m² Terrace: 20,6 m² External wall area: 81 m² Roof area: 109,5 m²

Windows and doors:

Door: 2 double 100% glass 1,98x1,6 m Base footprint: 9,2(+1,56)x10,5 m and 3 single full wood 1,98x0,85 m Window: 1 single 1,98x0,5 m, 2 single 1,98x0,85 m, 2 double 0,92x1,3 m and 2 double 1,98x1,5 m Threshold: covered with steel

Installation kit:





Base footprint: 5,8x11,3 m Internal house area: 61,9 m² External wall area: 64 m² Roof area: 76,8 m²

Windows and doors:

External measures: 5,96x11,46 m Door: 1 quadruple 100% glass 1,98x3 m, 2 double 100% glass 1,98x1,6m and 4 single full wood 1,98x0,85 m Window: 4 single 0,52x0,5 m, 1 single 0,92x0,7 m, 2 double 0,92x1,3 m and 2 double 1,98x1,5 m

Threshold: covered with steel

Installation kit:

Oskar 8,87x10,04 Article No. S27475



Project specification:

Base footprint: 8,67x9,84 m Internal house area: 48,4 m² Terrace: 32,5 m² External wall area: 68 m² Roof area: 96,5 m²

Windows and doors:

External measures: 8,87x10,04 m Door: 1 double 100% glass 1,98x1,6 m and 3 single full wood 1,98x0,85 m Window: 3 single 0,92x0,7 m and 5 double 0,92x1,3 m Threshold: covered with steel

Installation kit:

Country house/villa 1 story



External measures: 7,8x13,74 m Base footprint: 7,6x13,54 m Internal house area: 97,8 m² External wall area: 95 m² Roof area: 120,4 m²

Windows and doors:

Door: 7 single full wood 1,98x0,85 m Window: 2 single 0,92x0,7 m and 8 double 0,92x1,3 m Threshold: covered with steel Installation kit: ☑ Shutters kit: ☑

Takoma 12x8 Article No. S26884



Project specification:

Internal house area: 75,1 m² Terrace: 22,3 m² External wall area: 116 m² Roof area: 115,3 m²

Windows and doors:

External measures: 12,02x8,02 m Door: 1 quadruple 100% glass 1,98x3 m, 1 Base footprint: 11,82x7,82(+0,8) m single 100% glass 1,98x0,85 m and 5 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 1,98x0,5 m, 3 single 1,98x0,85 m and 3 double 1,98x1,5 m

Threshold: covered with steel

Installation kit:

Vienna 8,3x11 Article No. S26267



Project specification:

External measures: 8,3x11 m Internal house area: 83 m² Terrace area: 54,2 m² External wall area: 96 m² Roof area: 103,9 m²

Windows and doors:

Door: 2 double 100% glass 1,98x1,6 m, Base footprint: 8,1(+3,9)x10,8(+2) m 1 single 50% glass 1,98x0,85 m and 3 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 5 single 0,92x0,7 m, 2 single 1,98x0,74 m, 5 single 1,98x0,885 and 1 double 0,92x1,3 m

Threshold: covered with steel

Installation kit:



Project specification: External measures: 9,7x9,8 m Base footprint: 9,5x9,6 m

Base footprint: 9,5x9,6 m Internal house area: 72,9 m² Terrace: 13,7 m² External wall area: 115 m² Roof area: 112,2 m²

Windows and doors:

Door: 1 double 100% glass 1,98x1,6 m, 1 single 100% glass 1,98x0,85 m and 4 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m and 7 double 0,92x1,3 m Threshold: covered with steel Installation kit: 🗹




Base footprint: 9,81x16,49 m Internal house area: 118,2 m² External wall area: 107 m² Roof area: 202,9 m²

Windows and doors:

External measures: 10,01x16,69 m Door: 1 double 100% glass 1,98x1,6 m, 2 single 100% glass 1,98x0,85 m and 9 single full wood 1,98x0,85 m Terrace area: 37,1 m²+25,6m² (canopy) Window: 2 single 0,52x0,5 m, 1 single 0,39x0,7 m, 1 single 0,39x1,5 m, 6 single 1,98x0,85 and 4 double 1,98x1,5 m

Threshold: covered with steel

Installation kit:



Base footprint: 5,658x10,96 m Internal house area: 86,1 m² Terrace: 19,3 m² + 10,7 m² (balcony) External wall area: 127 m² Roof area: 74,5 m²

Windows and doors:

External measures: 5,858x11,16 m Door: 4 double 100% glass 1,98x1,6 m, 1 single 50% glass 1,98x0,85 m and 6 single full wood 1,98x0,85 m Window: 4 single 0,92x0,7 m and 7 double 0,92x1,3 m Threshold: covered with steel


Installation kit:



External measures: 5,96x9,96 m Base footprint: 5,8x9(+0,8) m Internal house area: 99,9 m² External wall area: 92 m² Roof area: 92,9 m²

Windows and doors:

Door: 1 double 50% glass 1,98x1,6 m, 1 single 50% glass 1,98x0,85 m and 6 single full wood 1,98x0,85 m Window: 4 single 0,92x0,7 m and 6 double 0,92x1,3 m Threshold: covered with steel Installation kit: ☑ Stair (straight): ☑




Base footprint: 9,94x7,841 m Internal house area: 81,2 m² Terrace: 8,1 m² External wall area: 129 m² Roof area: 103 m²

Windows and doors:

External measures: 10,14x8,041 m Door: 1 single 100% glass 1,98x0,85 m and 5 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 1,98x0,5 m, 1 single 0,92x0,7 m, 2 single 1,98x0,85 m, 4 double 0,92x1,3 m, 2 double 1,98x1,5 m and 4 trapezoid 1,47x1,5 m

Threshold: covered with steel

Installation kit: 🗹 Stair (L-shape):



Project specification:

External measures: 9,2x13,2 m Internal house area: 132,4 m² **Terrace :** 29,9 m² + 12,6 m² (balcony) External wall area: 178 m² Roof area: 116,7 m²

Windows and doors:

Door: 3 single 100% glass 1,98x0,85 m, Base footprint: 4,5(+4,5)x13,2(+1,25)m 1 single 50% glass 1,98x0,85 m and 7 single full wood 1,98x0,85 m Window: 3 single 0,52x0,5 m, 1 single 0,92x0,7 m, 6 single 1,98x0,85 m, 1 double 0,92x1,3 m and and 3 double 1,98x1,5 m

Threshold: covered with steel

Installation kit: Stair (L-shape):




Project specification: External measures: 8x11,19 m Base footprint: 7,8x9,34(+1,55) m Internal house area: 95,6 m² Terrace : 17,2 m² External wall area: 151 m² Roof area: 105,6 m²

Door: 1 single 100% glass 1,98x0,85 m and 6 single full wood 1,98x0,85 m Window: 1 single 0,52x0,5 m, 1 single 0,92x0,7 m, 3 single 0,39x1,5 m, 1 single 1,98x0,5 m, 4 double 0,92x1,3 m and and 3 double 1,98x1,5 m

Threshold: covered with steel

Installation kit: ☑ Stair (straight): ☑




Project specification: External measures: 7,5x13,5 m Base footprint: 7,3x13,3 m

Internal house area: 109,4 m² Terrace : 15,2 m² External wall area: 139,2 m² Roof area: 128,3 m²

Windows and doors:

Door: 1 single 100% glass 1,98x0,85 m, 4 single full wood 1,98x0,85 m and 1 quadruple 100% glass 1,98x3 m **Window:** 1 single 0,92x0,7 m, 6 single 1,98x0,85 m, 3 double 0,92x1,3 m, 4 trapezoid 1,6x1,5 m and 5 skylight Threshold: covered with steel

Installation kit: ☑ Stair (L-shape): ☑



Project specification:

External measures: 5x10 m Base footprint: 4,8(+1,5)x9,8(+2,9) m 4 single full wood 1,98x0,85 m and Internal house area: 93,4 m² External wall area: 151 m² Roof area: 105,6 m²

Windows and doors:

Door: 2 single 50% glass 1,98x0,85 m, 3 double 100% glass 1,98x1,6 m Terrace : 35,9 m² + 10,8 m² (balcony) Window: 2 single 0,92x0,7 m and 4 double 0,92x1,3 m Threshold: covered with steel

Installation kit: Stair (straight):



104-11

Project specification:

External measures: 5,93x8,75 m Base footprint: 5,73x8,55 m Internal house area: 90 m² Terrace : 10 m² (balcony) External wall area: 114 m² Roof area: 80,2 m²

Windows and doors:

Door: 3 single 50% glass 1,98x0,85 and 3 single full wood 1,98x0,85 m Window: 5 single 0,92x0,7 m and 3 double 0,92x1,3 m Threshold: covered with steel Installation kit: ☑ Stair (L-shape): ☑

Optional products

For country house/villa

		Dipping	Bitumen roof		EPDM roof	Metal roof		vindows and	
Article No.	9	(pine colour)	tiles	Underlayer	cover	cover	Rain gutters	doors	Insulation
S26883		•			🔵 74m²		•	HQ*, PVC*	Walls/roof/floor
S26890		•			130m ²		•	HQ*, PVC*	Walls/roof/floor
S26887		•			115m ²		•	HQ*, PVC*	Walls/roof/floor
S26871		•	● 87m²	85m'		•	•	P+, HQ*, PVC*	Walls/roof/floor
S27475		•	118m ²	107m'		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26260		•	152m ²	🔵 134m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26884		•	126m ²	1 28m′		•	•	HQ*, PVC*	Walls/roof/floor
S26267		•	117m ²	115m'		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26268		•	129m ²	1 25m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26882		•			• 214m′		•	HQ*, PVC*	Walls/roof/floor
S27475		•	81m ²	🔵 83m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26218		•	102m ²	102m'		•	•	P+, HQ*, PVC*	Walls/roof/floor
S29344		•	🔵 117m²	1 14m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26281		•	129m ²	130m'		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26282		•	🔵 117m²	•117m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S29346		•	144m ²	• 143m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S29347		•	120m ²	🔵 117m′		•	•	P+, HQ*, PVC*	Walls/roof/floor
S26265		•	87m ²	89 m′		•	•	P+, HQ*, PVC*	Walls/roof/floor

*Note: HQ or PVC windows&doors quality option for 44mm wall thickness is available if wall insulation is

included.


Country house/villa 112



Garages &carports









Carport+storage 5,7x5,3 p.120










p.122







44mm 4-12-4 wall logs double glazing

Project specification: External measures: 3,2x5,2 m Base footprint: 3x5 m Internal house area: 14,3 m² External wall area: 33 m² Roof area: 20,3 m²


Windows and doors: Door:

Premium - 1 single 50% glass 1,98x0,85 m Possible reverse montage: Economy - 1 single 50% glass 1,85x0,85 m Installation kit: Window: 1 double 0,92x1x3 m Garage gate (optional): 1 wooden, metal (manual) or metal (automatic)

Threshold: covered with steel

floor bearers

Storm braces: 🗹




Garages&carports Garage



+ 17,2 m² (canopy) External wall area: 42 m² Roof area: 44,4 m²

Window: 2 single 0,92x0,7 m Garage gate (optional): 1 wooden, metal (manual) or metal (automatic)

Storm braces: 🗹





Project specification: External measures: 5,96x8,96 m Door: Base footprint: 5,8x8,8 m Internal house area: 49,8 m² External wall area: 60 m² Roof area: 59 m²

Windows and doors:

Premium - 1 single full wood 1,98x0,85 m Economy - 1 single full wood 1,85x0,85 m Window: 1 double 0,92x1x3 m and 3 single 0,39x1,5 m Garage gate (optional): 3 wooden, metal (manual) or metal (automatic)


*See optional products page 123

Possible reverse montage:

Installation kit:

Storm braces: 🗹

44 Carport+storage 5,7x5,3 Article No. S29353




Project specification: External measures: 5,7x5,3 m Base footprint: 5,5x5,2 m Internal house area: 12,4 m² Canopy area: 15,5 m² External wall area: 39 m² Roof area: 34,6 m²

Windows and doors: Door: 1 double full wood 1,98x1.6 m Window: 2 single 0,39x0,7 m Threshold: covered with steel

Possible reverse montage: ☑ Installation kit: Storm braces:

*See optional products page 123

Carport+storage 5,7x7,9 44 Article No. S29354



Base footprint: 5,5x7,8 m Internal house area: 12,4 m² Canopy area: 29,8 m² External wall area: 39 m² Roof area: 50,7 m²

Window: 2 single 0,39x0,7 m Threshold: covered with steel Storm braces:


Carport-Fugi



Project specification: External measures: 3,24x4 m Canopy area: 13 m² Roof area: 18 m² Possible reverse montage: ☑ Installation kit: ☑

*See optional products page 123

Carport - Mars




Project specification: External measures: 5,6x4 m Canopy area: 22,4 m² Roof area: 30 m² Possible reverse montage: ☑ Installation kit: ☑



Project specification: External measures: 3,23x4,4 m Canopy area: 14,1 m² Roof area: 22,3 m² Possible reverse montage: ☑ Installation kit: ☑

*See optional products page 123

Carport-Pablo Article No. 529356



Project specification: External measures: 5,53x4,795 m Canopy area: 26,5 m² Roof area: 35,7 m² Possible reverse montage: ☑ Installation kit: ☑

Garages&carports Carport

For caracteristic products

v	~	
-	ر د	
5	_	
C	2	
C		
	_	•
π		
2		
v		
٩		
C		`
	~	'
2	2	
π		
C		`
		,
-	-	
C)	
L	-	

, Dipping Bitumen roof Metal roof Metal roof omy (pine colour) tiles Underlayer cover Rain gutters		• 30m ² • 31m′ •		• 45m ² • 45m ⁷	• 48m ² • 49m ⁷	• 45m ²	● 63m ² ● 66m [′] ●	• 42m ²	●54m ² ● 54m′ ●	• 21m ² • 21m ⁷	• 33m ² • 33m ⁷	• 27m ² • 26m [′]	42m ²
Dipping Bitumen roof Underlayer (pine colour) tiles Underlayer							•	-	•	•	•		•
Dipping Bitumen roof Underlayer (pine colour) tiles Underlayer							•	-	•	•	•		
Dipping Bitumen roof (pine colour) tiles							•	-	•	•	•		
Dipping (pine colour)	• 24m ²	30m ²	• 30m ²	•45m ²	• 48m ²	• 45m ²	🔵 63m²	🔵 42m²	54m ²	🔵 21m²	33m ²	🔵 27m²	42m ²
Dipping (pine colour)	• 24m ²	30m ²	3 0m ²	45 m ²	48 m ²	45 m ²	🔵 63m²	4 2m ²	• 54m ²	🔵 21 m²	🔵 33m²	🔵 27m²	● 47m ²
Dipping (pine colour)													
	•	•	•	•	•	•	•	•	•	•	•	•	
omy													
Article No. nium/Econo S26749	S26221/S27265	S26223/S27266	S26273/S27268	S26222/S27270	S26219/S27262	S26930/S26274	S26741/S26355	S29353	S29354	S29352	S27781	S29355	520356
Article No. Premium/Economy \$76749	S26221,						S26741,				S27	S29	520
					rt 6,8x5,6			ge 5,7x5,3	ge 5,7x7,9				
Vall Name 28 Garage 3.252	4 4 Garage 3,2x5,2	4 4 Garage 4x6	0 44 Garage 5x5	rage 6x6	rage+carpo	4.4 Garage 7x5,5	4 4 Garage 6x9	4.4 Carport+storage 5,7x5,3	4.4 Carport+storage 5,7x7,9	O N/A Carport-Fugi	N/A Carport-Mars	rport-Niki	N/A Carnort-Dahlo
Wall 28 Ga	La la	Ga	4 Ga	4 Ga	Ga	Ga	Ga	4 Ca	4 Ca	A Ca	A Ca	A Ca	A Ca

Pergolas

- AND LARE













p. 129

Pergola-Rose



Pergola-Kipa p. 126



p. 128

p. 129

Pergola-Missy



Pergola-Uma





Pergola-Oli






Pergola-Zulu


p. 130







Pergola - Missy Article No. 529357





Project specification: External measures: 3x3 m Canopy area: 9 m² Roof area: 11,6 m²

Possible reverse montage: ☑ Installation kit:

*See optional products page 131

3 000 3 000 9,0km²

Pergola-Oli Article No. 529358 3,5 m **∠**35°

19mm roof boards

Project specification: External measures: 3x3 m Canopy area: 9 m² Roof area: 14 m²

Possible reverse montage: 🗹 Installation kit:


*See optional products page 131

2,30 m

 ∇

Pergola - Rose Article No. 529359





Project specification: External measures: 3x3 m Canopy area: 9 m² Roof area: 12,5 m²

Pergola-Uma Article No. 529360

Possible reverse montage: ☑ Installation kit: ☑

*See optional products page 131




Project specification: External measures: 4x4 m Canopy area: 16 m² Roof area: 21,5 m²

Possible reverse montage: \square Installation kit: \square

Pergola - Zulu Article No. 529361

9,0 m²



Project specification: External measures: 3x3 m Canopy area: 9 m² Roof area: 10,3 m²

Possible reverse montage: \square Installation kit: \square

19mm



Optional products For pergolas

		Dipping	Bitumen roof	
Wall Name	Article No. ((pine colour)	tiles	Underlayer
68 Pergola-Haga	S26874	•	• 24m ²	• 21m′
6 8 Pergola-Kipa	S26876	•	• 24m ²	• 23m′
68 Pergola-Linsi	S26877	•	• 21m ²	🔵 16m′
6 8 Pergola-Luna	S26878	•	• 21m ²	16m'
N/A Pergola-Missy	S29357	•	15m ²	12m'
N/A Pergola-Oli	S29358	•	• 18m ²	• 16m′
N/A Pergola-Rose	S29359	•	15m ²	14m'
N/A Pergola-Uma	S29360	•	• 27m ²	• 24m′
N/A Pergola-Zulu	S29361	•	12m ²	12m'

New concept


We are is always happy to see customers appreciating wooden structures and valuing it's benefits.

From small cabins for those who just want to bring order to their garden, to garden houses for you as relaxing, working, meditating and crafting space, or big summer houses, villas or the most unique bespoke projects, where you can spend weekends and holidays with family and friends.



A - frame - 7,6 Article No. N/A







Project specification:

External measures: 3,162x3,17 m Internal attic floor area: 2,5 m² Internal house area: 7,6 m² Terrace area: 0,5 m²

External wall area: 5,1 m² Roof area: 31,8 m²

A - frame - 32 Article No. N/A







Project specification: External measures: 5,883x7(+1,16) m Internal house area: 31,9 m²

Internal attic floor area: 13,9 m² External wall area: 11,3 m² Terrace area: 9,1 m²

Roof area: 89,6 m²

A-frame 39



2 089

3,5 m²

9,1 m²

4,0 m²

19,3 m²

8,0 m²

5 600

0,9 m

2,9 m²





Project specification: External measures: 5,6(+2,32)x8,8(+0,7) m Internal house area: 38,8 m²

Internal attic floor area: 12,1 m² Terrace area: 8,9 m²

800

External wall area: 47 m² Roof area: 111 m²

Optional products



Optional products

Dipping (pine)

We offer full house dipping in bath of "pine" colour water-soluble treatement liquide for better protection and durability.

Acrylate-based scrumble concentrate for the industrial coating of wood for outdoor areas, such as garden timber, formwork walings, scaffolding boards.

Properties: •Highly concentrated; •Easily soluble in water; •Fast drying; •Smooth flow; •Low grain direction; •Moisture-regulating; •Block-resistant; •Mild odour, odourless after drying.



Bitumen roof tiles

For our convenience we offer bitumen roof tiles with mineral reinfocement, type 6S4X21, produced in accordance with ETA-12/0264 of 30/06/2017. This product intended to be laid as discontinous covering for pitched roofs and/or wall cladding where the watertightness of the system is ensured by overlapping, according to the manufacturer's installation instructions.

Bitumes tiles are hexagonal shape in several colours (red, green, black, grey, brown).











Underlayer

An additional layer of waterproofing used under bitumen tiles that reliably protects the roof from water leakage and extends the service life of the roof covering. We offer high-quality polymer bitumen that ensures complete tightness at the nail penetration points.


Advantages:

Lightweight material is easy to install on the slope.
Non-slip surface ensures safety works on the roof and UV protection.

•High quality bitumen-polymer compound has the property of "self-healing", which gives absolute tightness in places of nail penetration.


•Due to the high heat resistance and flexibility UNDERLAY PRO 500 retains the original properties even when exposed to extreme temperatures.

Underlayer can be used as a temporary roofing.Versatility - material is used on any type of roofing.



With underlayer







EPDM roof cover

For flat roofs or roofs that are under 7 degrees roof angle we offer robber roof covering material – EPDM. This cover has long service life, reduces heating costs and potential condensational problems. Prefect solution for flat modern style roofs.



Metal roof cover

Acording to a project made steel roof tile kit is durable option for two or one slope roofs. Can be supplied differen colours.





Raingutters


Raingutter system can be installed on any pitched and one slope roofs, not just steel. The system can be of different colors and can be adapted to various solutions.



Roof insulation

Roof insulation kit prepared for specific roof is recommended option to make house wormer or to protect house from the heat which appears from direct sunlight. We offer 2 standard roof insulation options: 10cm and 20cm.






Wall insulation

Outside wall insulation kit prepared for specific house to lower heat losses. Supplied with outside decorative boards.

We offer 2 standard roof insulation options: 10cm and 20cm.






Floor insulation

Floor insulation kit prepared for specific house to offer solution to make floor warmer and protect from cold coming from ground.


We offer 3 standard roof insulation options: 5cm, 10cm and 15cm.



Terrace

1,5m meter depth wooden terrace with impregnated terrace boards and decorative fence can be added to some standard projects to provide some relaxation area.


There are different options of width: 3m, 4m, 5m and 6m. Wall thicknesses can be chosen in 44mm (including 44x60 floor bearers) or 28mm (including 28x60 floor bearers).



Extra WC 2,2x2,2

2,2x2,2 extention can be added to some standard projects with possibility increase total living area for making WC room. Extra WC extention have additional 1 window (Premium) 0,52x0,5 m and 1 single full wood door (Premium) 1,98x0,85 m with possibility install items in any place.


Extra WC 2,2x2,2 can be 2 options: 44mm (with optional 19mm floor boards) and 68mm (with optional 28mm floor).







Standard windows



Structure

andle

Т


Economy

versus



Hinges for Economy and Premium windows looks the same, but their quality are different.





FSC certificate available for Economy and Premium windows and doors. Ask your sales manager before production.



This single certificate covers the production and trais sawn wood for contraction, wood shavings and part using the transfer system in the directions where Cantor for the same predicts as: FSC 100%; FSC Mix	
New York (1997) (1997) New York (1997) (1997) (1997) New York (1997) (1997) (1997) (1997) New York (1997) (1997) (1997) (1997) New York (1997) (1997) (1997) (1997) (1997) New York (1997) (1997) (1997) (1997) (1997) (1997) New York (1997) (19	
SCSglobal	The second secon


BCS Global Services does havely calify that an its applicable standard(s) has been continued for

142-159


Hinges

Certificates

Standard windows measures Economy quality



Standard doors



Windows&doors

Economy

versus

Premium

Hinges for Economy and Premium doors are the same.




Economy "Beta" door handle



Standard door handle





FSC certificate available for Premium and Premium plus windows and doors. Ask your sales manager before production.



SCS Skolad Services does hereby only that an independent audit has been completed and conform applicable standard(x) has been confirmed for



SCSglobal

S

Certificate


S

Φ


Hing

Standard doors measures Economy quality





Standard windows






Premium plus




S Ð σ Hin

Windows&doors



Windows&doors


Standard doors





Windows&doors

Standard doors measures Premium&Premium plus quality














SD-4











Note: Color for door handles and painting is available if buying at least 3 houses.	*Painting	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•			•	•			•	•
Note: Color for c painting is avail least 3 houses.	*Color of handles	•	•	•	•	•		•	•	•	•	•	•	•	•	٠	•		•	•	•	•	•	•	•	•	•	•			•	•			•	
	Handles (pcs)	1	-	0	٦	1	0	0	0	1	1	2	2	2	2	1	1	e	1		1		1	F	-		1	L	L	F	٢	1	-	1	1	
(Economy, Premium and Premium plus)	Opening type	Turn (tilt&turn Premium plus only)	Top hung	Fixed	Tilt&turn	Tilt&turn	Fixed	Fixed	Fixed	Turn (tilt&turn Premium plus only)	Turn (tilt&turn Premium plus only)	Tilt&turn	Tilt&turn	Turn (tilt&turn Premium plus only)	Turn (tilt&turn Premium plus only)	Tilt&turn	Full wood	Full wood, 50% or 100% glass	External, full wood, 50% or 100% glass	Internal (no threshold), full wood	External, full wood, 50% or 100%	Internal (no threshold), full wood	External, full wood, 50% or 100% glass	Internal (no threshold), full wood	External, full wood, 50% or 100% glass	Internal (no threshold), full wood	External, full wood, 50% or 100% glass	Internal (no threshold), full wood	Full wood, 50% or 100% glass	100% glass	100% glass	50% or 100% glass (side panels are 100%)	FOOT and other field and and the 1000/1			
VVIIIUUVVS AIIU UUU Standard and custom measures (Econ	Possible quality	Economy/Premium/Premium plus	Economy/Premium	Economy/Premium	Economy/Premium/Premium plus	Economy/Premium/Premium plus	Economy	Premium	Premium	Premium/Premium plus	Premium/Premium plus	Economy/Premium/Premium plus	Economy/Premium/Premium plus	Premium/Premium plus	Premium/Premium plus	Premium/Premium plus	Economy/Premium	Economy	Premium/Premium plus	Premium	Premium	Premium	Premium/Premium plus	Premium	Premium/Premium plus	Premium	Premium/Premium plus	Premium	Economy	Economy	Premium/Premium plus	Premium/Premium plus	Economy	Economy	Premium/Premium plus	Description (Description of the
and custor	Measures of frame (HxW)	520x500	390×700	390x1500	920x700	1430x700	1850×500	1980x500	2180×500	1980x850	2180x850	920x1300	1430x1300	1980x1500	2180×1500	920x1800	1700x850	1850x850	1980x850	1980x850	1980×1040	1980×1040	2180x850	2180x850	2180x950	2180x950	2180×1040	2180×1040	1850x1400	1850x1600	1980x1600	2180×1600	1850x2400	1850x3000	1980x3000	0000 0010
tandard	*Custom ID Me	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-6	• SW-6	SW-7	● SW-7	DW-1	DW-2	DW-3	DW-3	TW-1	SD-1	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	SD-2	DD-1	DD-1	DD-1	OD-1	QD-1	QD-1	QD-1/QD-2	001100

Windows&doors

Standard windows

HQ-living quality

From the beginning of 2023 we offer high quality wooden windows and doors. It's the best option for living houses.

•System: 78-EURO.

•4GN-14T-4-14T-4 tripple glazed with Argon gas. •Locks and fittings: Siegenia.

·Gaskets: Deventer.

•Microventilation, drainage from Aluron.


•High quality "Remmers" painting will protect wood from water and atmospheric effects.


•Any size and structure of windows and doors can be produced.

Water tightness, class Air permeability, class LST EN 12208:2002 9 A LST EN 12207:2017 4














Roto window handle •Basic handle without additional functions •Lock-in position 90°

•Ten-year performance warranty ·Classification in accordance with DIN EN 13126-3 •Eight colours are available





Bronze





Titan





Brown



Windows&doors


142-159

Structure

Colour palette "Remmers"



This palette it's colour idea. Colours can look different according to peculiarity of wood or your screen/print resolution.





Contact reseller